

E-X1ML Series

LED Emergency Light
27W, 6V Remote-Capable



Recommended Use

- Exit identification & emergency lighting
- Indoor Commercial
- Retail Lighting
- Industrial Applications

Durable

- 20 gauge steel housing

Input Voltage

- Universal (120V through 277V Operation)

Certifications


5 YEAR
WARRANTY



"WARNING - Cancer and Reproductive Harm -
www.p65warnings.ca.gov"



E-X1ML Series



Series Overview

DIMENSIONS	PRODUCT WEIGHT	MOUNTING HEIGHT
2-1/2" D x 11-3/8" W x 12-3/8" H	10.05 lbs.	---

Fixture Specifications

FEATURES	27W, 6V remote capability Runs up to 8 hours without remote heads
HOUSING	Constructed of durable 20-gauge steel Neutral white finish
MOUNTING	Knockouts on back for wall mount Top and side knockouts for conduit applications
INCLUDES	Sealed, 6V maintenance-free lead acid battery backup (90 min.)

Electrical Performance

OPERATING MINIMUM	LIFESPAN L_{70} AT 25°C (77°F)	POWER FACTOR	TOTAL HARMONIC DISTORTION	DIMMABLE
20°C (68°F)	---	---	---	No
INPUT VOLTAGE	120V	208V	240V	277V
Current Draw (Amps)	0.21A	---	---	0.10A

Warranty & Certifications

WARRANTY	UL LISTED	DLC	ENERGY STAR
5-Year Limited (Housing & Electronics) 5-Year Pro-Rated (Batteries)	Damp Locations	---	---

Due to continuous product improvement, information in this document is subject to change.
The UL logo is a registered trademark of UL LLC.

Revision Date: 05/28/19

1501 96th Street, Sturtevant, WI 53177 | Phone (888) 243-9445 | Fax (262) 504-5409 | www.e-conolight.com







E-X1ML Series

Output Specifications

SKU	DESCRIPTION	LIGHT OUTPUT	POWER CONSUMPTION
E-X1ML1006	Emergency Light, 27W, 6V Remote-Capable*	65 Lumens/head	11W at 120V and 277V

* Remote unit will run up to 20 single LED remote heads or 10 double LED remote heads.

Remote Heads

SINGLE REMOTE HEAD	SKU / DESCRIPTION	DOUBLE REMOTE HEAD	SKU / DESCRIPTION
	E-XHL1DW 1W Single Remote Head (White)		E-XHL2DW 1W Double Remote Head - 2W Total (White)
	E-XHL1WG 1W Single Remote Head, Wet-Listed (Gray)		E-XHL2WG 1W Double Remote Head - 2W Total, Wet-Listed (Gray)

Due to continuous product improvement, information in this document is subject to change.
The UL logo is a registered trademark of UL LLC.

Revision Date: 05/28/19

1501 96th Street, Sturtevant, WI 53177 | Phone (888) 243-9445 | Fax (262) 504-5409 | www.e-conolight.com