

E-JT Series

LED Residential Ceiling Flush Mount - Traditional
Replaces 60W / 100W Incandescent

Oil-Rubbed Bronze



Brushed Nickel



Replace Incandescent with LED

e-conolight's LED Residential Ceiling Flush Mounts provide warm residential light and reduce the need to change traditional incandescent bulbs. These sleek fixtures are available in modern and traditional designs to accent any décor.

Recommended Use

- Residential
- Entryways & hallways
- Bedrooms & kitchens

Input Voltage


- 120V Operation

Certifications



e-conolight® | Making LED easy.

E-JT Series



Series Overview

DIMENSIONS	PRODUCT WEIGHT	MOUNTING HEIGHT	SPACING
6-1/4" H x 11-2/5" Dia (15W)	2.64 lbs.	Ceiling height but no more than 10 to 12 feet	---
5-1/8" H x 13-2/5" Dia (23W)	3.30lbs.		---

Fixture Specifications

HOUSING	Durable steel housing Available in brushed nickel or oil-rubbed bronze finish
LENS ASSEMBLY	Frosted glass lens
MOUNTING	Surface mounts to 3" and 4" octagonal junction boxes

Electrical Performance

OPERATING MINIMUM	LIFESPAN <small>L₇₀ AT 25°C (77°F)</small>	POWER FACTOR	TOTAL HARMONIC DISTORTION	DIMMABLE
-30°C (-22°F)	Estimated 61,000 Hours (15W) 58,000 Hours (23W)	> 0.9	< 20%	Yes
INPUT VOLTAGE	120V	208V	240V	277V
Current Draw (Amps)	0.12A (15W) 0.20A (23W)	---	---	---


Warranty & Certifications

WARRANTY	CSA LISTED	DLC	ENERGY STAR
5-Year Limited	Damp Locations	---	---

Output Specifications

SKU	LIGHT OUTPUT	COLOR TEMP <small>(See chart)</small>	POWER CONSUMPTION	COLOR ACCURACY	REPLACES
E-JT1L1511N (Brushed Nickel)	904 Lumens	Soft White (2700K)	15W	≥ 80 CRI	60W Incandescent
E-JT1L1511Z (Oil-Rubbed Bronze)	904 Lumens	Soft White (2700K)	15W	≥ 80 CRI	60W Incandescent
E-JT2L2311N (Brushed Nickel)	1366 Lumens	Soft White (2700K)	23W	≥ 80 CRI	100W Incandescent
E-JT2L2311Z (Oil-Rubbed Bronze)	1366 Lumens	Soft White (2700K)	23W	≥ 80 CRI	100W Incandescent

CORRELATED COLOR TEMPERATURE (CCT)



Due to continuous product improvement, information in this document is subject to change.

Revision Date: 12/28/16

1501 96th Street, Sturtevant, WI 53177 | Phone (888) 243-9445 | Fax (262) 504-5409 | www.e-conolight.com



E-JT Series

Recommended Dimmers

- Lutron Skylark® SLV Series
- Lutron Skylark® SCL Series
- Lutron Skylark® Contour CTCL Series

Due to continuous product improvement, information in this document is subject to change.

Revision Date: 12/28/16

1501 96th Street, Sturtevant, WI 53177 | Phone (888) 243-9445 | Fax (262) 504-5409 | www.e-conolight.com

