

RECESSED

E-RTA Series

LED 5" & 6" Recessed Retrofit Kits
Replaces 75W / 100W Incandescent



Easily replace your incandescent fixtures - up to 100W!

Energy Efficient

- Up to 85% savings (compared to incandescent fixtures)
- Energy Star Rated

Recommended Use

- Variety of existing 5" & 6" incandescent recessed housings
- Recessed housing not included

Input Voltage

- 120V Operation


Certifications



WARNING: Cancer and Reproductive Harm -
www.p65warnings.ca.gov

e-conolight[®] | Making LED e asy.

E-RTA Series



Series Overview

DIMENSIONS	PRODUCT WEIGHT	MOUNTING HEIGHT	SPACING
3" H x 7-5/16" Trim Width	0.6 lbs.	---	---

Fixture Specifications

HOUSING	Durable thermal plastic construction with integral stepped baffle trim
LENS ASSEMBLY	Diffused milky white lens eliminates LED pixilation
MOUNTING	Easy installation with integral clips No tools required E26 Edison base adaptor for ease of incandescent replacement

Electrical Performance

OPERATING RANGE	LIFESPAN <i>L₇₀</i> AT 25°C (77°F)	POWER FACTOR	TOTAL HARMONIC DISTORTION	DIMMABLE
-20°C (-4°F) - 40°C (104°F)	Estimated 50,000 hours	> 0.9	< 20%	Yes
INPUT VOLTAGE	120V	208V	240V	277V
Current Draw (Amps)	0.105A	---	---	---


Warranty & Certifications

WARRANTY	ETL LISTED	DLC	ENERGY STAR
5-Year Limited	Wet Locations	---	Yes

Output Specifications

SKU	LIGHT OUTPUT	COLOR TEMP (See chart)	POWER CONSUMPTION	COLOR ACCURACY	REPLACES
E-RTA09A-6ABW-8271E	900 Lumens	Soft White (2700K)	12W	80 CRI	75W Incandescent
E-RTA09A-6ABW-8301E	960 Lumens	Warm White (3000K)	12W	80 CRI	100W Incandescent
E-RTA10A-6ABW-8401E	1000 Lumens	Neutral White (4000K)	12W	80 CRI	100W Incandescent

CORRELATED COLOR TEMPERATURE (CCT)



Due to continuous product improvement, information in this document is subject to change.

Revision Date: 01/16/17

1501 96th Street, Sturtevant, WI 53177 | Phone (888) 243-9445 | Fax (262) 504-5409 | www.e-conolight.com

E-RTA Series

Accessories



6\"

Stepped White Baffle
For Use with E-RTA 5\" & 6\" Fixtures Only

SKU: **E-RTA-6FBWW**

Recommended Dimmers

Leviton Sureslide: Cat. NO. 6674
Lutron Diva: DV-600P
Legrand Harmony: HCL453PTCCCV6

NOTE: The presence of a dimmer on this chart is not a guarantee or warranty of the compatibility of the fixture in any particular installation.
The absence of a dimmer from this chart does not necessarily imply incompatibility.

RECESSED

Due to continuous product improvement, information in this document is subject to change.

Revision Date: 01/16/17

1501 96th Street, Sturtevant, WI 53177 | Phone (888) 243-9445 | Fax (262) 504-5409 | www.e-conolight.com

