

# E-T4C2 Series

LED 4" Recessed Retrofit Kit  
Replaces 50W Incandescent



## Easily Replace 50W Incandescent Fixtures!

### Durable & Easy to Install

- Integrated trim is made to last
- Push-in retention clips make for easy install
- Edison-style socket adaptor (included)
- Compatible with most 4" recessed housings

### Recommended Use

- Variety of 4" recessed housings


### Input Voltage

- 120V Operation

### Certifications



# E-T4C2 Series



## Series Overview

DIMENSIONS	PRODUCT WEIGHT	MOUNTING HEIGHT	SPACING
2-1/2" H x 5" Trim Width	0.25 lbs.	---	---

## Fixture Specifications

<b>HOUSING</b>	Durable construction with integrated trim Spun aluminum white powder-coat finish trim Low-profile, integrated driver allows for use in shallow housings
<b>LENS ASSEMBLY</b>	Diffused convex lens
<b>MOUNTING</b>	Compatible with most 4" incandescent recessed housings with included push-in retention clips Edison-style socket adaptor included Suitable for use in IC-rated housings

## Electrical Performance

OPERATING MINIMUM	LIFESPAN <small>L<sub>70</sub> AT 25°C (77°F)</small>	POWER FACTOR	TOTAL HARMONIC DISTORTION	DIMMABLE
-18°C (0°F)	Estimated >36,000 Hours	> 0.9	< 20%	Yes
<b>INPUT VOLTAGE</b>	<b>120V</b>	<b>208V</b>	<b>240V</b>	<b>277V</b>
<b>Current Draw (Amps)</b>	0.9A	---	---	---


## Warranty & Certifications

WARRANTY	UL CLASSIFIED	DLC	ENERGY STAR
5-Year Limited	Wet Locations	---	Yes

## Output Specifications

SKU	LIGHT OUTPUT	COLOR TEMP <small>(See chart)</small>	POWER CONSUMPTION	COLOR ACCURACY	REPLACES
<b>E-T4C2102WW</b>	600 Lumens	Soft White (2700K)	10W	≥ 90 CRI	50W Incandescent
<b>E-T4C2103WW</b>	600 Lumens	Warm White (3000K)	10W	≥ 90 CRI	50W Incandescent

## CORRELATED COLOR TEMPERATURE (CCT)



RECESSED

Due to continuous product improvement, information in this document is subject to change.

Revision Date: 07/14/16

1501 96<sup>th</sup> Street, Sturtevant, WI 53177 | Phone (888) 243-9445 | Fax (262) 504-5409 | www.e-conolight.com



# E-T4C2 Series

## Recommended Dimmers

- Lutron TGCL-153PH-WH
- Lutron CTCL-153PDH-WH
- Leviton 6631

**NOTE:** The presence of a dimmer on this chart is not a guarantee or warranty of the compatibility of the fixture in any particular installation. The absence of a dimmer from this chart does not necessarily imply incompatibility.